

10/539315

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 July 2004 (01.07.2004)

PCT

(10) International Publication Number
WO 2004/056067 A1

(51) International Patent Classification⁷: **H04L 29/06**,
12/58, H04Q 7/22

(21) International Application Number:
PCT/IB2003/006023

(22) International Filing Date:
17 December 2003 (17.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02156191.5 17 December 2002 (17.12.2002) CN

(71) Applicant (for all designated States except US): **KONINKLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL];
Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SHAO, Xiaoling**


[CN/CN]; Philips Electronics China, 21/F Kerry Office Building 218 Tian Mu Xi Road, 200070 Shanghai (CN).
TU, Jiawen [CN/CN]; Philips Electronics China, 21/F Kerry Office Building 218 Tian Mu Xi Road, 200070 Shanghai (CN). **FENG, Lei** [CN/CN]; Philips Electronics China, 21/F Kerry Office Building 218 Tian Mu Xi Road, 200070 Shanghai (CN).

(74) Common Representative: **KONINKLIJKE PHILIPS ELECTRONICS N.V.**; c/o VAN DER VEER, Johannis, L., Prof. Holstlaan, 6, NL-5656 AA Eindhoven (NL).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SI, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: METHOD AND SYSTEM FOR MULTIMEDIA MESSAGING SERVICE



(57) Abstract: The invention allows a portion of a multimedia message, usually the beginning part of the message to be delivered to and stored on a mobile terminal beforehand. When a user wants to view the message, the portion of the message stored locally will be played back immediately, while at the same time a user agent residing in the mobile terminal will contact a media server for the remaining contents using the streaming technology. This would give the user an impression that the whole message is stored locally since there is nearly no noticeable delay in the playback, thus providing a much better user experience. The partial contents downloaded can be a portion of the whole multimedia message, or an unrelated rich-media message provided by a third party as an advertisement. In this way, the usage of the local storage space on the mobile terminal will be much more efficient.

WO 2004/056067 A1



(84) **Designated States (regional):** ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Declaration under Rule 4.17:

— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT,*

Published:

— *with international search report*
 — *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PHCN020018 WO

METHOD AND SYSTEM FOR MULTIMEDIA MESSAGING SERVICE**BACKGROUND OF THE INVENTION**

The invention relates generally to wireless communications technology, and more particularly to method and system for multimedia messaging service.

Mobile terminals such as mobile phones have become a popular means to communicate with other people. Many services are now available on mobile terminals. One of the popular services is the mobile multimedia service (MMS), which includes images, voice, and audio and video contents. This service will enrich person-to-person messaging and pave the way for content-push services. With more and more rich media enabled mobile terminals and network architectures available, on-demand mobile multimedia services will be delivered to users via media streaming and downloading techniques that enrich mobile browsing and content accessing.

Multimedia-enriched services are expected to drive usages, operator revenues and bandwidth consumptions in mobile networks. However, at present, rich media messages are too large for mobile terminals with relatively small user space (typically 2M bytes) to store locally. For example, a two minute MPEG-4 encoded QCIF (Quarter Common Intermediate Format) video played at 10 frames per second (fps) will take roughly 1.5M bytes space. This is unacceptable to most mobile phones in the market because of their small storage space that is shared by different applications.

PHCN020018 WO

FIG. 1 shows a MMS reference architecture 10 as defined by 3GPP (Third Generation Partnership Project), which is an organization that develops specifications for a 3G system. In FIG. 1, a MMS relay/server 20 is connected to various elements, including a billing system 32, MMS VAS (value added service) applications 34, MMS user databases 36, a HLR (home location register) 38, and a plurality of external servers 42 to 48 for providing functionalities such as E-mail, fax, SMS, etc. Server 48 is a media server that stores rich-media contents including video. Alternatively, server 48 may be located in MMS relay/server 20 or may be a web server. MMS relay/server 20 is also connected to a "foreign" MMS relay/server 40, which is located in another MMSE (Multimedia Message Service Environment). A MMSE refers to a collection of MMS specific network elements under the control of a single administration and may include more than one MMS relay/server. MMS user agents A, B and C can send multimedia messages to one another via the MMS relays/servers. A MMS user agent refers to an application residing on a mobile terminal (e.g., a user equipment (UE), a mobile station (MS), etc.) or an external device that performs MMS-specific operations on a user's behalf.

FIG. 2 is a flowchart diagram of a multimedia message (MM) delivery process 100. It illustrates how a multimedia message is delivered via streaming in a conventional way. Upon receiving a MMS message notification, the MMS user agent will notify the user of an associated mobile terminal that a new MM has arrived (step 102). If the user chooses to view the MM (step 106), the attachment associated with the MM is parsed (step 112) to determine whether a SDP (Session Description Protocol) file is attached (step 116). A SDP file contains the description of the session (including session name, author, etc.), the type of media to be presented, and the bit rate of the media. If a SDP file is not attached, it may be because the MM contains non-streamable contents such as messages with plain text only. In such a case, the MMS user agent will render the MM

PHCN020018 WO

immediately. On the other hand, if a SDP file is attached, it will be parsed (step 122). With the parameters from the SDP file, the MMS user agent can connect the mobile terminal to the media server via RTP (Transport Protocol for Real-Time Applications)/RTSP(Real Time Streaming Protocol) protocols (step 126) and receive the contents from the media server via streaming (step 132). At the same time, the MMS user agent can render the MM (step 136).

However, live streaming from a media server in a wireless environment will take considerable amount of time about 8 to 15 seconds for each two minute MPEG-4 QCIF video message. For a larger video message, the user will have to view it in discrete segments because the user has to wait for 8 to 15 seconds for each two minute video segment to arrive. Given the experience of video streaming on the Internet, which usually requires an initial waiting time of 6 to 15 seconds for each video message, regardless of the size of the video message, the delays in a wireless environment will be unacceptably longer and will make the user to wait annoyingly.

Therefore, there is a need for a MMS system that significantly improves a user's experience associated with receiving and viewing MMs.

SUMMARY OF THE INVENTION

The present invention allows a portion of a multimedia message, usually the beginning part of the message (e.g., the first 10 seconds of the message) to be delivered to and stored on a mobile terminal beforehand. For example, a 10 seconds MPEG-4 encoded QCIF video occupies roughly 80~120k space, which is much less than the capacity required for storing the whole message. When a user wants to view the message, the portion of the message stored locally will be played back immediately, while at the same time a user agent residing in the mobile terminal will contact a media server

PHCN020018 WO

for the remaining contents using the streaming technology. This would give the user an impression that the whole message is stored locally since there is nearly no noticeable delay in the playback, thus providing a much better user experience. The partial contents downloaded can be a portion of the whole multimedia message, or an unrelated rich-media message provided by a third party as an advertisement. In this way, the usage of the local storage space on the mobile terminal will be much more efficient.

Other objects and attainments together with a fuller understanding of the invention will become apparent and appreciated by referring to the following description and claims taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is explained in further detail, and by way of example, with reference to the accompanying drawings wherein:

FIG. 1 shows a MMS reference architecture as defined by 3GPP;

FIG. 2 is a flowchart diagram of a conventional multimedia message delivery process;

FIG. 3 is a flowchart diagram illustrating a process performed by a MMS user agent in connection with receiving and delivering multimedia messages according to a first embodiment of the invention; and

FIG. 4 is a flowchart diagram illustrating a multimedia message delivering process performed by a MMS server according to a second embodiment of the invention.

PHCN020018 WO

Throughout the drawings, the same reference numerals indicate similar or corresponding features or functions.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention allows a portion of a multimedia message (MM), usually the beginning part of the message (e.g., the first 10 seconds of the message), to be delivered to a mobile terminal or user equipment (UE) in advance. For example, a 10 seconds MPEG-4 encoded QCIF video will occupy roughly 80~120k space, which is much less than the capacity required for storing the whole message. When a user wants to view the MM, the portion of the message stored locally will be played back immediately, while at the same time the user agent residing in the UE will contact the media server for the remaining contents using the streaming technology defined in the 3GPP standard specification. This would give the user an impression that the whole message is stored locally since there is nearly no noticeable delay in the playback, thus providing a much better user experience. The partial contents downloaded in advance can be a portion of the whole multimedia message, or an unrelated rich-media message provided by a third party as an advertisement.

FIG. 3 is a flowchart diagram illustrating a process 200 performed by a MMS user agent residing in a mobile terminal, in connection with receiving and delivering MMs according to a first embodiment of the invention. As illustrated, after the user agent receives a MMS message notification (step 202), it will try to parse the attachment to the message notification (step 206) to determine whether a SDP file is attached (step 212). As described before, the SDP file contains the description of the session (e.g., session name, author, etc.), the type of the media to be presented and the bit rate of the media. If no SDP file is attached because for example, the MM contains non-streamable contents such as text messages only, the user agent will

PHCN020018 WO

notify the user of the newly arrived MM (step 220) and allow the user to have an option to view the message.

However, if a SDP file is attached and the user agent recognizes that a link to rich media contents is included in the SDP file after parsing the SDP file (step 214), it will try to immediately download, from the media server, a part of the message for a predetermined duration, e.g., 15 seconds, using the RTP protocols (step 222). The user agent may also determine how long the portion of the MM should be pre-fetched by consulting with a database in the mobile terminal that contains information about the network characteristics, mobile terminal capability and user preferences. Then, a determination of whether the download is successful is made (step 232). If the download fails due to, for instance, problems relating to the network or media server, the user agent will notify the user about the newly arrived MM (step 220) and deliver the message in a conventional way such as illustrated in FIG. 2.

On the other hand, if the download is successful and upon receiving the portion of the MM, e.g., 15 seconds of the MM, the user agent will save that received portion locally and modify the SDP file for later use, noting the size of the contents stored locally, where to fetch the remaining portion of the contents, the size of the remaining portion, etc. (step 236). Then the user agent notifies the user that a new MM has just arrived (step 220). If the user wants to view the MM, the user agent will quickly play back the received portion, while at the same time it will try to set up a streaming connection with media server in a conventional manner for the remaining contents of the MM. Under most circumstances, there is a sufficient time to set up the connection with the media server during that period of time in which the received portion of the MM is being played, so that the remaining contents of the MM will become available for the user to view in a seamless manner. In this way, the user will have a quick access to the MM, eliminating the

PHCN020018 WO

waiting time ranging from 8 to 15 seconds otherwise required for the user to start viewing the MM. The invention also gives the user an impression of viewing the MM locally, and thus easing the impatience of a typical user. If the user finds the contents being played are not interesting, he or she may immediately interrupt the connection without further wasting the time.

FIG. 4 is a flowchart diagram illustrating a MM delivering process 300 performed by a MMS server (e.g., in MMS relay/server 20) according to a second embodiment of the invention. Upon receiving a MM (step 302), the MMS server will determine whether it contains rich media contents (step 306). If it contains text only, the server will deliver the message directly to the UE without any modification so as to make it immediately available to the user (step 310). Otherwise, the server will need to modify the message. The server will first store the message with rich media contents in a pre-selected location, e.g., a media server (step 312), and copy a portion of the message, e.g., the first 15 seconds (step 316). The server then creates a SDP file that contains the location of the message, the duration of the copied portion of the message, and other information (step 326). Thereafter, the server attaches the SDP file to the copied portion of the original message to create a new MM (step 332). Alternatively, the server may also attach the SDP file to a third party's contents, such as advertisements. The newly created MM will be sent to the user agent (step 310).

Upon receiving the new MM from the MMS server, the user agent will save it in the same way as any downloaded message. When the user tries to view the message, the user agent will first play back the locally stored contents, while at the same time it will try to set up a streaming connection with the media server using the information provided by the attached SDP file. This will allow the remaining contents of the message to be available to the user to view in a seamless way. In this way, a much higher efficiency in

PHCN020018 WO

the usage of the local storage space on the mobile terminal can be achieved.

As described above, the partially downloaded contents received by the user agent can be a portion of the original MM, or an unrelated rich media message provided by a third party as an advertisement. In the latter case, the third party may allow the user to access the MM at no charge if the user commits to view the attached advertisement in its entirety. In a similar manner, multiple MMs can link to the same locally stored contents, e.g., the same advertisement.

While the invention has been described in conjunction with specific embodiments, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art in light of the foregoing description. Accordingly, it is intended to embrace all such alternatives, modifications and variations as fall within the spirit and scope of the appended claims.

PHCN020018 WO

WHAT IS CLAIMED IS:

1. A mobile terminal, comprising:

means for receiving a notification of an incoming multimedia message;

means for determining whether the incoming message contains rich media contents; and

means for downloading a portion of the incoming message having a pre-determined duration for a user to view on the terminal, if the message contains rich media contents.

2. The terminal of claim 1, wherein the determining means includes means for parsing an attachment of the notification to determine whether the message contains rich media contents, the attachment containing information about a media type of the incoming message.

3. The terminal of claim 2, wherein the attachment includes a Session Description Protocol (SDP) file.

4. The terminal of claim 1, further comprising means for displaying the downloaded portion of the incoming message on the terminal, in response to a user's command.

5. The terminal of claim 4, further comprising:

a storage element; and

means for saving the downloaded portion of the incoming message on the storage element.

PHCN020018 WO

6. The terminal of claim 1, further comprising means for notifying a user of the incoming message.

7. The terminal of claim 1, further comprising means for accessing the remaining of the incoming message.

8. The terminal of claim 7, wherein the accessing means includes means for modifying an attachment file to the incoming message to indicate a starting point of the incoming message for accessing by the accessing means.

9. The terminal of claim 8, wherein the attachment file includes a Session Description Protocol (SDP) file.

10. The terminal of claim 1,

further comprising means for connecting the terminal to a server storing the incoming message for accessing the remaining of the incoming message;

wherein the pre-determined duration is sufficiently long for the connecting means to connect the terminal to the server so as to allow the user to view the whole incoming message in a continuous manner.

11. A multimedia message service server, comprising:

means for receiving an incoming multimedia message;

means for determining whether the incoming message contains rich media contents; and

PHCN020018 WO

means for delivering a new multimedia message to a receiving mobile terminal, if the incoming message contains rich media contents.

12. The server of claim 11, wherein the new multimedia message includes a portion of the incoming message having a pre-determined duration.

13. The server of claim 11, wherein the new multimedia message includes an advertisement having a pre-determined duration.

14. The server of claim 11, further comprising means for creating an attachment file to the new multimedia message, indicating where the incoming message may be accessed.

15. The server of claim 14, wherein the attachment file includes a Session Description Protocol (SDP) file.

16. The server of claim 11, further comprising means for creating the new multimedia message.

17. The server of claim 16, further comprising:

means for saving the incoming message in a pre-selected location;
and

means for copying a portion of the incoming message for including in the new multimedia message.

18. The server of claim 17, wherein the pre-selected location is in a storage element of a media server.

PHCN020018 WO

19. The server of claim 12, wherein the pre-determined duration is sufficiently long for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a continuous manner.

20. The server of claim 13, wherein the pre-determined duration is as long as is substantially required for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a substantially continuous manner.

21. A method performed at a mobile terminal, comprising the steps of:

receiving a notification of an incoming multimedia message;

determining whether the incoming message contains rich media contents; and

downloading a portion of the incoming message having a pre-determined duration for a user to view on the terminal, if the message contains rich media contents.

22. The method of claim 21, wherein the step of determining includes a step of parsing an attachment of the notification to determine whether the message contains rich media contents, the attachment containing information about a media type of the incoming message.

23. The method of claim 22, wherein the attachment includes a Session Description Protocol (SDP) file.

PHCN020018 WO

24. The method of claim 21, further comprising a step of displaying the downloaded portion of the incoming message on the terminal, in response to a user's command.

25. The method of claim 24, further comprising a step of saving the downloaded portion of the incoming message on a storage element of the terminal.

26. The method of claim 21, further comprising a step of notifying a user of the incoming message.

27. The method of claim 21, further comprising a step of accessing the remaining of the incoming message.

28. The method of claim 27, further comprising a step of modifying an attachment file to the incoming message to indicate the starting point of the incoming message for accessing.

29. The method of claim 28, wherein the attachment file includes a Session Description Protocol (SDP) file.

30. The method of claim 21,

further comprising a step of connecting the terminal to a server storing the incoming message for accessing the remaining of the incoming message;

wherein the pre-determined duration is sufficiently long for connecting the terminal to the server so as to allow the user to view the whole incoming message on the terminal in a continuous manner.

PHCN020018 WO

31. A method performed at a multimedia message service server, comprising the steps of:

receiving an incoming multimedia message;

determining whether the incoming message contains rich media contents; and

delivering a new multimedia message to a receiving mobile terminal, if the incoming message contains rich media contents.

32. The method of claim 31, wherein the new multimedia message includes a portion of the incoming message having a pre-determined duration.

33. The method of claim 31, wherein the new multimedia message includes an advertisement.

34. The method of claim 31, further comprising a step of creating an attachment file to the new multimedia message, indicating where the incoming message may be accessed.

35. The method of claim 34, wherein the attachment file includes a Session Description Protocol (SDP) file.

36. The method of claim 31, further comprising a step of creating the new multimedia message.

37. The method of claim 36, further comprising the steps of:

saving the incoming message in a pre-selected location; and


PHCN020018 WO

copying a portion of the incoming message for including in the new multimedia message.

38. The method of claim 37, wherein the pre-selected location is in a storage element of a media server.

39. The method of claim 32, wherein the pre-determined duration is sufficiently long for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a continuous manner.

40. The method of claim 33, wherein the pre-determined duration is as long as is substantially required for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a substantially continuous manner.






FIG. 2 (PRIOR ART)




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB 03/06023

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04L29/06 H04L12/58 H04Q7/22		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 H04L H04Q		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the International search (name of data base and, where practical, search terms used) WPI Data, EPO-Internal, PAJ, INSPEC, COMPENDEX, IBM-TDB		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2002/073205 A1 (MOSTAFA MIRAJ) 13 June 2002 (2002-06-13) paragraph '0094! - paragraph '0109!; figure 1 paragraph '0118! - paragraph '0125!	1-40
A	US 2001/016875 A1 (BOYLE STEPHEN S ET AL) 23 August 2001 (2001-08-23) paragraph '0002! - paragraph '0019! paragraph '0053! - paragraph '0059!; figure 1 --- -/--	3-7, 9, 10, 12, 14-16, 19, 20, 23-27, 29, 30, 32, 34-36, 39, 40
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filing date but later than the priority date claimed 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art 'G' document member of the same patent family		
Date of the actual completion of the international search 14 May 2004		Date of mailing of the international search report 24/05/2004
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer García Bolos, R

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB 03/06023

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>US 2002/087549 A1 (MOSTAFA MIRAJ) 4 July 2002 (2002-07-04) paragraph '0092! - paragraph '0124! -----</p>	<p>3, 9, 15, 23, 29, 35</p>

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB 03/06023

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2002073205 A1	13-06-2002	FI 20001741 A	03-02-2002
		AU 767934 B2	27-11-2003
		AU 7985101 A	13-02-2002
		BR 0107066 A	11-06-2002
		CN 1393090 T	22-01-2003
		EP 1308013 A1	07-05-2003
		WO 0211398 A1	07-02-2002
		JP 2004505384 T	19-02-2004
		ZA 200203010 A	16-07-2003
US 2001016875 A1	23-08-2001	US 6243739 B1	05-06-2001
		US 5895471 A	20-04-1999
US 2002087549 A1	04-07-2002	FI 20002566 A	23-05-2002
		AU 2634402 A	03-06-2002
		WO 0243414 A2	30-05-2002
		EP 1410659 A2	21-04-2004



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Acknowledgement of receipt

We hereby acknowledge receipt of the form for entry into the European phase (EPO as designated or elected Office) as follows:

Submission number	48410	
PCT application number	PCT/IB03/06023	
Date of receipt	26 April 2005	
Your reference	PHCN020018EP	
Applicant		
Country		
Documents submitted	EPF1200.PDF ep-euro-pct.xml	application-body.xml package-data.xml
Submitted by	CN=J. van der Veer 1086,O=Philips IP&S,C=NL	
Method of submission	Online	
Date and time receipt generated	26 April 2005, 08:27:20	
Digest	55:07:44:98:97:2F:CF:0E:24:4A:70:22:2F:6E:D7:EB:E1:0B:54:9B	

/European Patent Office/



Europäisches
Patentamt

European
Patent office

Office européen
des brevets

Sender:
Robert Jacob Pet
Philips Intellectual Property & Standards
Postbus 220
Eindhoven 5600 AE
Netherlands

Phone: +31 40 2743448
Fax: +31 40 2743489

✉ D-80298 München
☎ (+49-89) 2399-0
Tx 523 658 epmu d
Fax (+49-89) 23 99-44 65
✉ P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
☎ (+31-70) 340-2040
Tx 31 651 epo nl
Fax (+31-70) 340-30-16
✉ D-10958 Berlin
☎ (+49-30) 25901-0
Fax (+49-30) 25901-840

LETTER ACCOMPANYING SUBSEQUENTLY FILED ITEMS

The document(s) listed below is (are) subsequently filed documents pertaining to the following application:

Application number

03780434.1

Applicant's or representative's reference

PHCN020018EP

	Description of document	Original file name	Assigned file name
1	Request for extension of time limit during examination procedure	CN020018EP.ext.pdf	EXRE92-1.pdf

	Factor applied	Fee schedule	Amount to be paid
--	----------------	--------------	-------------------

Payment

Annotations

Statement

The undersigned hereby declares that the subsequently filed items do NOT contain or are NOT intended to contain any communication relating either to an appeal or to an opposition (OJ EPO 2003, 609: ".....This possibility is not yet available in opposition and appeal proceedings; in such proceedings, therefore, the electronic filing of documents is not admissible.").

Signatures

Place: Eindhoven
Date: 27.February 2006
Signed by: NL, Philips IP&S, R. Pet 913
Capacity: (Representative)

Philips Intellectual Property & Standards

P.O. Box 220, 5600 AE Eindhoven, The Netherlands

European Patent Office
Erhardtstrasse 27
80331 MÜNCHEN
Germany

Tel: +31 40 27 43448
Fax: +31 40 27 43489
E-mail:
Jerry.Vennerholm@philips.com

Ref: PHCN020018EP
VENN/CvG
Date: 2006-02-27

Re: European Patent Application No. 03 780 434.1 - 2416
Koninklijke Philips Electronics N.V.
Communication pursuant to Article 96(2) EPC

We herewith request an extension of the time limit for responding to the above-mentioned application by two months, according to Rule 84 (EPC).

The Professional Representative,

P.J.W. Slenders



Philips International B.V.
Philips Intellectual Property & Standards
Office address: Prof. Holstlaan 6, Bldg. WAH
5656 AA Eindhoven, The Netherlands
Tel +31 40 279 1111
Fax +31 40 274 34 89
Commercial Register Eindhoven no. 17047664
www.jp.philips.com



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Acknowledgement of receipt

We hereby acknowledge receipt of the following subsequently filed document(s):

Submission number	102501	
Application number	EP03780434.1	
Date of receipt	27 February 2006	
Receiving office	European Patent Office, The Hague	
Your reference	PHCN020018EP	
Applicant	Koninklijke Philips Electronics N.V.	
Number of applicants	1	
Documents submitted	package-data.xml	epf1038.pdf (1 p.)
	ep-sfd-request.xml	EXRE92-1.pdf\CN020018EP.ext.p df (1 p.)
Submitted by	NL, Philips IP&S, R. Pet 913 Subject: NL, Philips IP&S, R. Pet 913; Issuer: , European Patent Office, European Patent Office CA	
Method of submission	Online	
Timestamp of receipt	27 February 2006, 17:10:20 (CET)	
Digest	1A:29:32:6A:73:8F:40:37:CC:EE:0D:A0:18:20:89:E7:26:2F:AD:66	

/European Patent Office/



Europäisches
Patentamt

European
Patent office

Office européen
des brevets

Sender:
Robert Jacob Pet
Philips Intellectual Property & Standards
Postbus 220
Eindhoven 5600 AE
Netherlands

Phone: +31 40 2743448
Fax: +31 40 2743489

☒ D-80298 München
☎ (+49-89) 2399-0
Tx 523 656 epmu d
Fax (+49-89) 23 99-44 65
☒ P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
☎ (+31-70) 340-2040
Tx 31 651 epo nl
Fax (+31-70) 340-30-16
☒ D-10958 Berlin
☎ (+49-30) 25901-0
Fax (+49-30) 25901-840

LETTER ACCOMPANYING SUBSEQUENTLY FILED ITEMS

The document(s) listed below is (are) subsequently filed documents pertaining to the following application:

Application number

03780434.1

Applicant's or representative's reference

PHCN020018EP

	Description of document	Original file name	Assigned file name
1	Reply to examination report	CN020018EP.pdf	EXRE3-1.pdf
2	Amended claims	CN020018EP.d.pdf	CLMSPAMD-1.pdf

	Factor applied	Fee schedule	Amount to be paid
--	----------------	--------------	-------------------

Payment

Annotations

Statement

The undersigned hereby declares that the subsequently filed items do NOT contain or are NOT intended to contain any communication relating either to an appeal or to an opposition (OJ EPO 2003, 609: ".....This possibility is not yet available in opposition and appeal proceedings; in such proceedings, therefore, the electronic filing of documents is not admissible.").

Signatures

Place: Eindhoven
Date: 24.April 2006
Signed by: NL, Philips IP&S, R. Pet 913
Capacity: (Representative)

CLAIMS:

1. A mobile terminal, comprising:
 means for receiving a notification of an incoming multimedia message;
 means for determining whether the incoming message contains rich media
 contents;
5 means for downloading a portion of the incoming message having a pre-
 determined duration for a user to view on the terminal, if the message contains rich media
 contents; characterized in that the mobile terminal further comprises:
 a storage element and means for saving the downloaded portion of the
 incoming message on the storage element;
10 means for connecting the terminal to a server storing the incoming message
 for accessing the remaining of the incoming message;
 wherein the pre-determined duration is sufficiently long for the connecting
 means to connect the terminal to the server so as to allow the user to view the whole
 incoming message in a continuous manner.
15
2. The terminal of claim 1, wherein the determining means includes means for
 parsing an attachment of the notification to determine whether the message contains rich
 media contents, the attachment containing information about a media type of the incoming
 message.
20
3. The terminal of claim 2, wherein the attachment includes a Session
 Description Protocol (SDP) file.
4. The terminal of claim 1, further comprising means for displaying the
25 downloaded portion of the incoming message on the terminal, in response to a user's
 command.
5. The terminal of claim 1, further comprising means for notifying a user of the
 incoming message.

6. The terminal of claim 1, further comprising means for accessing the remaining of the incoming message.
- 5 7. The terminal of claim 6, wherein the accessing means includes means for modifying an attachment file to the incoming message to indicate a starting point of the incoming message for accessing by the accessing means.
8. The terminal of claim 7, wherein the attachment file includes a Session
10 Description Protocol (SDP) file.
9. A multimedia message service server, comprising:
means for receiving an incoming multimedia message;
means for determining whether the incoming message contains rich media
15 contents;
means for delivering a new multimedia message to a receiving mobile terminal, if the incoming message contains rich media contents;
characterized in that the new multimedia message includes a portion of the incoming message having a pre-determined duration which is sufficiently long for the
20 receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a continuous manner.
10. The server of claim 9, wherein the new multimedia message includes an advertisement having a pre-determined duration.
25
11. The server of claim 9, further comprising means for creating an attachment file to the new multimedia message, indicating where the incoming message may be accessed.
12. The server of claim 11, wherein the attachment file includes a Session
30 Description Protocol (SDP) file.
13. The server of claim 9, further comprising means for creating the new multimedia message.

14. The server of claim 13, further comprising:
means for saving the incoming message in a pre-selected location; and
means for copying a portion of the incoming message for including in the new
multimedia message.
- 5
15. The server of claim 14, wherein the pre-selected location is in a storage
element of a media server.
16. The server of claim 10, wherein the pre-determined duration is as long as is
10 substantially required for the receiving mobile terminal to connect to a server storing the
incoming message so as to allow the user to view the whole incoming message on the
terminal in a substantially continuous manner.
17. A method performed at a mobile terminal, comprising the steps of:
15 receiving a notification of an incoming multimedia message;
determining whether the incoming message contains rich media contents;
downloading a portion of the incoming message having a pre-determined
duration for a user to view on the terminal, if the message contains rich media contents;
characterized in that the method further comprises the steps of:
20 saving the downloaded portion of the incoming message on a storage element
of the terminal;
connecting the terminal to a server storing the incoming message for accessing
the remaining of the incoming message;
wherein the pre-determined duration is sufficiently long for connecting the
25 terminal to the server so as to allow the user to view the whole incoming message on the
terminal in a continuous manner.
18. The method of claim 17, wherein the step of determining includes a step of
parsing an attachment of the notification to determine whether the message contains rich
30 media contents, the attachment containing information about a media type of the incoming
message.
19. The method of claim 18, wherein the attachment includes a Session
Description Protocol (SDP) file.

20. The method of claim 17, further comprising a step of displaying the downloaded portion of the incoming message on the terminal, in response to a user's command.

5

21. The method of claim 17, further comprising a step of notifying a user of the incoming message.

10

22. The method of claim 17, further comprising a step of accessing the remaining of the incoming message.

15

23. The method of claim 22, further comprising a step of modifying an attachment file to the incoming message to indicate the starting point of the incoming message for accessing.

24. The method of claim 23, wherein the attachment file includes a Session Description Protocol (SDP) file.

20

25. A method performed at a multimedia message service server, comprising the steps of:

receiving an incoming multimedia message;

determining whether the incoming message contains rich media contents;

delivering a new multimedia message to a receiving mobile terminal, if the

incoming message contains rich media contents;

25

characterized in that the new multimedia message includes a portion of the incoming message having a pre-determined duration which is sufficiently long for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a continuous manner.

30

26. The method of claim 25, wherein the new multimedia message includes an advertisement.

27. The method of claim 25, further comprising a step of creating an attachment file to the new multimedia message, indicating where the incoming message may be accessed.

5 28. The method of claim 27, wherein the attachment file includes a Session Description Protocol (SDP) file.

29. The method of claim 25, further comprising a step of creating the new multimedia message.

10

30. The method of claim 29, further comprising the steps of:
saving the incoming message in a pre-selected location; and
copying a portion of the incoming message for including in the new multimedia message.

15

31. The method of claim 30, wherein the pre-selected location is in a storage element of a media server.

32. The method of claim 26, wherein the pre-determined duration is as long as is
20 substantially required for the receiving mobile terminal to connect to a server storing the incoming message so as to allow the user to view the whole incoming message on the terminal in a substantially continuous manner.

Philips Intellectual Property & Standards

P.O. Box 220, 5600 AE Eindhoven, The Netherlands

European Patent Office
Erhardtstrasse 27
80331 MÜNCHEN
Germany

Tel: +31 40 27 43448
Fax: +31 40 27 43489
E-mail: jerry.vennerholm
@philips.com

Ref: PHCN020018EP
VENN/CvG
Date: 2006-04-24

**Re: European Patent Application No. 03 780 434.1 – 2416
Koninklijke Philips Electronics N.V.**

Referring to the "Communication pursuant to Article 96(2) EPC" dated 18 October 2005, we hereby submit a new set of claims 1-32, which replace the old set of claims 1-40, presently on file. Further, the following is respectfully observed.

A new independent claim 1 has been drafted which is based on old claims 1, 5 and 10, presently on file. New independent claims 9, 17 and 25 are amended in a corresponding fashion. New independent claim 9 is based on old claims 11, 12 and 19, presently on file. New independent claim 17 is based on old claims 21, 25 and 30, presently on file. New independent claim 25 is based on old claims 31, 32 and 39, presently on file. The remaining dependent claims have been renumbered and the claim dependencies have been adjusted accordingly.

New claims 1, 9, 17 and 25 do not go beyond the content of the application as filed and do not contravene Article 123(2) EPC.

The technique disclosed by the present invention

The technical problems solved by the present invention comprise:

- the limited memory of mobile terminal; and
- the noticeable delay for the user when an MMS or rich-media session is established between the terminal and the MMS server.



Philips International B.V.
Philips Intellectual Property & Standards
Office address: Prof. Holstlaan 6, Bldg. WAH
5656 AA Eindhoven, The Netherlands
Tel +31 40 279 11 11
Fax +31 40 274 34 89
Commercial Register Eindhoven no. 17047664
www.jp.philips.com

The technical procedure of the present invention is shown in the figure 1:




Figure 1

After the mobile terminal has been notified of an incoming multimedia message, the MMS server delivers a portion of the message to the mobile terminal. The message may be the original incoming multimedia message for the user, or a new message comprising some new information, like an advertisement or information about the original incoming multimedia message. The key factor of the portion of the message is that it should have a sufficiently long duration, which should be longer than establishing an MMS session between the terminal and the MMS server. The mobile terminal stores the downloaded portion of the incoming message having a sufficiently long duration on a storage element. The message is presented to the user and, if accepted, an MMS session is established between the terminal and the MMS server so as to allow the user to view the whole incoming message in a continuous manner.

One advantage is that not much memory space is needed because only a portion of the incoming message needs to be stored. The rest of the incoming message is conveyed using a conventional streaming technique. Another advantage is that the user experiences no noticeable delay. He can view the MMS immediately after acceptance of the notification from the MMS server.

Comparison between the present invention and US20020073205A1 (D1)

D1 discloses a communication method. A preferred embodiment is shown in fig 2. A sender 21 sends a notification via a MMS server 23 to a receiver 24 about media content being stored. The notification includes presentation description information required to establish another streaming session between the receiver and a media server 22. The receiver establishes a streaming session with the media server, based on the information received in the notification message and then the receiver starts to download and play the media content. The media content is downloaded as a sequence of content sub-parts, each representing one time period of the streaming session.

The differences between the present invention according to new claim 1 and D1 are clear and distinct:

- a portion of the incoming multimedia message having a pre-determined duration for a user to view on the terminal is downloaded and stored on the storage element comprised in the terminal; and
- while viewing said portion of the message, the terminal is connected to the server for accessing the remaining of the message so as to allow the user to view the whole incoming message in a continuous manner.

The present invention according to new claim 1 is therefore novel in view of D1. New claim 1 is based on old claims 1, 5 and 10, and the new independent claims 9, 17 and 25 have been amended in a corresponding fashion. Claims 9, 17 and 25 are also novel in view of D1.

There is a major difference between downloading and storing a portion of a message and downloading a message for streaming purposes. The present invention allows **a portion of the multimedia message, usually the beginning part of the message... to be delivered to and stored on a mobile terminal** beforehand (see p.3, l.24). One of the advantages is that this allows the user to view the portion of the multimedia message at any time, anywhere. Another advantage is that "When a user wants to view the message, the portion of the **message stored locally will be played back immediately** (see p.3, l.29). While viewing said portion of the message, the mobile terminal will contact the MMS server for the remaining contents using the streaming technology. This gives the user an impression that the whole message is stored locally since there is no noticeable delay in the playback.

In D1, on the other hand, the downloading of the media for streaming is done to a temporary storage, a so-called streaming buffer. The displayed part of the media stored in the buffer is immediately and continuously replaced by the following media sequences. When the user desires to view media on his terminal, he first has to set up a connection with the media server for establishing a streaming session. This is not always possible, e.g. if the terminal is out of reach of the base stations coverage. Also, the user has to wait for a period of time before he is able to view the desired media. In contrast to the present invention, the user will thus experience a noticeable delay while waiting.

Comparison between the present invention and US20010016875A1 (D2)

D2 relates to a system for reducing perceived latency in servicing user requests for unsolicited information made from remote devices, such as a mobile terminal. A flowchart of the procedure of D2 is given in figure 2.




Figure 2

A distinguished and important feature of D2 is the use of an intermediate computer 31, which is located between the hypermedia server 51, 52 and the mobile terminal 11. The intermediate computer is clearly claimed in D2 and used in all the embodiments. The computer works as a relay unit or an agent having a pre-known location/profile to relay the request of the mobile terminal and content of the server. One drawback of using a computer is that it must be pre-known by the mobile terminal. Because the computer works as an anchor for relaying all the information to the mobile terminal, it may introduce some inefficiency problems. It also imposes some restrictions. In order to be able to deliver the contents the computer has to be powered and it needs to be connected to both the network 40 for communicating with the servers 51 and 52 and to the transmitter 22 and the receiver 21 for communicating with the mobile terminal 11. When the computer and the mobile terminal employ different communication protocols, the computer must also be able to translate them in order to manage a correct communication. This is also an imposing factor on the efficiency.

Besides communicating directly with the MMS-server, there are other differences between the present invention according to new claim 1 and D2. One of them is that while viewing said portion of the message, the terminal is connected to the server for accessing the remaining of the message so as to allow the user to view the whole incoming message in a continuous manner

The present invention according to new claim 1 is therefore novel in view of D2. New independent claims 9, 17 and 25 have been amended in a corresponding fashion as claim 1, so they are also novel in view of D1.

Based on the teachings of the cited inventions D1 and D2, the skilled person would have no reason to modify the inventions D1 and D2 in order to arrive at the present invention. The objective problems of limited memory and perceived waiting times for viewing media content on the mobile terminal are dealt with in an entirely different way. Hence, a skilled person would not even recognize the need for a more efficient and better way of viewing media content on the mobile terminal. Furthermore, even if the skilled person would recognize this need and would contemplate a modification of the cited inventions it is still not clear how he would arrive at a solution, which discloses all the features of claim 1.

New independent claims have been amended to two-part form according to Rule 27(1)(b) EPC.

Amendments to the introduction of the description are respectfully deferred until agreement with respect to the claims has been reached.

PHILIPS

Pg: 6
Ref: PHCN020018EP
VENN/CvG
Date: 2006-04-24

Allowance of the application comprising the new set of 32 claims is respectfully requested.
In case the Examiner envisages to reject the application, oral proceedings according to Art.
116 EPC are hereby requested.

The Professional Representative,

P.J.W. Slenders

Encl.: A new set of claims 1-32



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Acknowledgement of receipt

We hereby acknowledge receipt of the following subsequently filed document(s):

Submission number	115753	
Application number	EP03780434.1	
Date of receipt	24 April 2006	
Receiving office	European Patent Office, The Hague	
Your reference	PHCN020018EP	
Applicant	Koninklijke Philips Electronics N.V.	
Number of applicants	1	
Documents submitted	package-data.xml ep-sfd-request.xml CLMSPAMD-1.pdf\CN020018EP. cl.pdf (5 p.)	epf1038.pdf (1 p.) EXRE3-1.pdf\CN020018EP.pdf (6 p.)
Submitted by	NL, Philips IP&S, R. Pet 913 Subject: NL, Philips IP&S, R. Pet 913; Issuer: , European Patent Office, European Patent Office CA	
Method of submission	Online	
Timestamp of receipt	24 April 2006, 16:12:48 (CEST)	
Digest	7D:5A:CF:9B:3F:13:F0:1B:B6:AA:3B:87:6B:0D:B1:F6:8C:EE:69:23	

/European Patent Office/